

Department of Environmental Services Planning Division

Administrative Conditional Use Permit Application Packet

PLEASE NOTE:

APPLICATION SECTIONS I AND II,
AND APPLICABLE DOCUMENTS IDENTIFIED IN SECTION III AND
APPENDICES

MUST BE COMPLETED AND SUBMITTED
IN ADDITION TO ALL REQUIRED FEES

ALL APPLICATIONS MUST BE SIGNED AND NOTARIZED

2929 Tapo Canyon Road Simi Valley, CA 93063

Hours: Monday-Thursday 8 a.m. to 5 p.m. (Closed from 12 p.m. to 1 p.m.)
Planning Counter: (805) 583-6769

AN APPOINTMENT IS REQUIRED TO SUBMIT APPLICATION

www.simivalley.org



Introduction

The following information is provided to assist you with filing an Administrative Conditional Use Permit (CUP) application with the City of Simi Valley. The requested materials will ensure: (a) an accurate and complete project description; (b) provision of information for staff to complete an environmental exemption; (c) consistency with the City's polices, ordinances, and design guidelines, as well of those of outside agencies; and (d) the application is processed as quickly as possible for decision making and public hearing(s), if applicable. The application packet includes the required materials, as well as instructions on where to obtain, and how to prepare, supplemental materials that are needed to file.

What Qualifies as an Administrative CUP?

Pursuant to SVMC Section 9-52.070, the following items may be accepted by the City Planner for processing as Administrative Conditional Use Permit, subject to the findings outlined in SVMC:

- 1. Uses that require a Conditional Use Permit (CUP), within existing spaces of 3,001 to 10,000 square feet of total gross floor area (within an approved Planned Development permit).
- 2. The leasing and rental of cars, light duty pick-up trucks, and vans (under 10,000 pounds of gross vehicle weight), and large trucks (10,000 pounds or more of gross vehicle weight), without drivers, in the CPD (Commercial Planned Development) and CI (Commercial Industrial) zoning districts.
- 3. Animal keeping, not otherwise allowed in the zoning district (refer to SVMC Section 9-44.060).

What is Required/What to Expect?

Every application shall include a signed and notarized application, project description, plans and payment of the fee. A summary of the application fees and related service charges is available from the Planning Division/Department of Environmental Services upon request. Site-specific materials such as floor plans, site plans, and photographs of the property and buildings will be required. Many landlords can provide site and/or floor plans of existing buildings for your use.

Public Hearing

A staff-level public hearing will be required. Public hearings allow the applicant and all interested parties to present their testimony and position on the requested use. Such permits can be approved, approved with conditions, or denied, and the decision can be appealed to the next higher decision making body as outlined in Simi Valley Municipal Code. The Director has the right to defer any project to the Planning Commission for decision.

Please note that the costs of public hearing notices will be billed directly to you under a separate invoice prior to the hearing.

¹ Uses requiring a CUP that are up to 3,000 square feet and within a Planned Development permit area may be processed as an Administrative Action (refer to the application for Administrative Actions)

² For information on the fees that are required to process your application, please refer to the Schedule of Service Charges at following website: www.simivalley.org and the attached fee worksheet.



Processing the Permit

Once the City determines an application to be complete, which means the City has all the information needed to process the application and finalize the environmental review ³, a report is prepared. If a hearing is required, a hearing date is tentatively scheduled. The City's goal is to process administrative projects within 30-45 days. The processing time of most administrative projects depends on the completeness of the submittal materials.

The applicant has a right to appeal any determination of application completeness in accordance with Simi Valley Municipal Code (SVMC) §9-50.060.

Once approved, the applicant will be provided with a Certificate of Approval. This certificate and accompanying conditions of approval will guide the applicant in what remaining items must be addressed to obtain a Zoning Clearance and Building Permit sign-offs from the Planning Division.

Please contact the Planning Division's Deputy Director/City Planner at (805) 583-6769 for any questions you may have about a proposed project, process, or the required application submittal information and materials. If you need additional assistance in navigating through the City's development processes, please contact Linda Swan, Assistant City Manager, at (805) 583-6853. A preliminary meeting to discuss your project and application is encouraged. Although every effort has been made to provide complete information, it is the applicant's responsibility to ensure that they address all submittal and code requirements.

³ State CEQA Guidelines [California Code of Regulations, Title 14, Chapter 3, §15063).



Table of Contents

Sect	ion I Application and Contact Information for Administrat	tive Actions
I.A. I.B. I.C.	Formal Application Requests	3
Sect	ion II Submittal Requirements for Administrative Actions	
II.A.	Checklist	7
III.A. III.B. III.C. III.D. III.F. III.G. III.H. III.I. III.J. III.K. III.L.	Mature/Protected Trees Water Supply/Sewage Disposal Floodplain Management Geotechnical Drainage/Water Quality Traffic. Hazardous Materials/Waste and Fire Protection Utilities, Undergrounding, and Screening Signage Design Guidelines Green Building Ordinance Security Ordinance Ventura County Agencies	991012121212
Appe	endices ndix A. Certified Public Notice Mailing List/Affidavitndix B. Architectural Site Plans	



Appendix C. Building Elevations	18
Appendix D. Floor Plans	20
Appendix E. Colors and Materials Sample Board	21
Appendix F. Conceptual Landscape Plans	22
Appendix G. Tree Report	28
Appendix H. Electronic File Submittal Requirements	29

2

July 07, 2021



Section I Application and Contact Information for Administrative Conditional Use Permits

Section I.A. Formal Application Requests

This application is for an Administrative Action (AA) subject to the requirements and findings outlined in SVMC Section 9-52.030.

Please provide a brief summary of	f the proposed project:
Please describe any proposed roof equipm	ent:
ection I.B. Assessor Parcel Numb	per(s) and Location
lease list all Addresses and Assesso	or's Parcel Numbers (APNs) for the project site:
Assessor Parcel Number(s):	
-	
Street Addresses (if any):	
Project/Shopping Center Name: _	
Prior or Master Planning Project Ca	ase No. (if any):
CASE FILE NUMBER(S):	STAFF USE ONLY
CASE FILE NOIVIBER(3).	Data Pacaiyad:
	Received by:
Related Cases:	Received by:
	Received by:

3

July 07, 2021



Section I.C. Applicant, Property Owner and Consultant Information

Please provide the following information about the applicant, property owner, and all consultants (e.g., architects, civil engineers, surveyors, and permit expediters) who prepared the application materials (e.g., plans, reports, and studies).

C.1. Applicant			
The applicant is: (Please check the appropriate box.) ☐ Owner ☐ Lessee ☐ Has Powe	er of Attorney	☐ Authorize	d by Owner
Name:	_ Phone:		
Mailing Address:			
E-mail Address:	Fax:		
Disclosure: Has the applicant had financial involvem excess of \$250.00 with any Planning Commissioner in	nent (including po n the last 12 mont	litical campaign hs? YES	contributions) in
The undersigned is hereby informed, and acknowledges ha	aving been so infor	med of the follow	ing:
 All City-issued permits and approvals are issued purs contained in Federal, State, County, Special District, and and procedures adopted by the City Council, and subject 	nd Citv codes. and	' in accordance w	rith written polices
2.Statements or representations by City Employees of standards, and procedures are believed to be accomplicants are advised to refer directly to the codes, request. It is expressly understood that the degree of the commendations but may exercise their sole discretions.	urate; however, s written policies, a ecision-making bo	uch accuracy is and procedures a dy(ies) are not	not guaranteed. applicable to your
 Conditions imposed upon development approvals do no by the City for the sole purpose of ensuring compliance and promotion of public health, safety, and welfare. 	t constitute contrac e with all applicabl	tual consideratior e standards, and	n, but are imposed for the protection
An application may be filed only by all of the owner(s) of the owner(s).	he property or by a	person authorize	ed by the property
I/we	n prepared in comp	oliance with the re	equirements of the
Applicant's Signature		Date	_
Applicant's Printed Name:			<u> </u>

All applications must have all signatures(s) notarized by a Commissioned Notary Public.

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document, to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

ACKNOWLEDGEMENT

State of California)	
County of)	
On before me, _	(insert name and title of the officer)
subscribed to the within instrument his/her/their authorized capacity(ies	satisfactory evidence to be the person(s) whose name(s) is/are and acknowledged to me that he/she/they executed the same in s), and that by his/her/their signature(s) on the instrument the f which the person(s) acted, executed the instrument.
I certify under PENALTY OF PERJI paragraph is true and correct.	URY under the laws of the State of California that the foregoing
WITNESS my hand and official seal.	
Signature	(Seal)



e "same."
Phone:
Fax:
about the person who will serve as the primary poindence will be directed to this person.
Phone:
Fax:
Phone:
Fax:
Phone:
Fax:
Dhana
Phone:
Fax:
Phone:
Fax:
Phone:
Fax:



Section II Submittal Requirements for Administrative Conditional Use Permits

The following outlines the quantity of items that must accompany your application upon submittal based on the type of Conditional Use Permit requested. Contact the Planning Division with any questions.

ALL 24"X36" OR LARGER PLANS MUST BE FOLDED

Submit with All Applications	No. of Copies	Provided
Formal Application, Ownership, Applicant Information and Questionnaire (Sections I/II)	1	
Copy of existing approved exhibits and of any proposed exhibits (11"x17")	1	
Planning Fees (permit, environmental, study review, etc.)		
Color photographs of existing site and buildings, and of proposed site/area or unit (on an 8.5" x11" page)	3	
Electronic Copy of ALL Plans, Studies and Documents on CD or USB flash drive in.pdf or .jpg format (please see the requirements for electronic files in Appendix H. Note that if your files do not meet these requirements your application will not be accepted)	2	
Assessor's Parcel Map(s) with property outlined	1	
Public Notice Mailing List Radius Maps and Affidavit (refer to Appendix A) (Note: Radius for Large Family Day Care is 100 feet only)	1	
Public Notice Mailing List Labels (refer to Appendix A)	3 sets	

Additional Materials for Applications with Interior Changes or Changes to Uses Only	No. of Copies	Provided
Floor Plans 11"x17" (refer to Appendix D), before and after	2	

Additional Materials for Animal Keeping Uses Only	No. of Copies	Provided
Site Plans 11"x17" (refer to Appendix B) showing all buildings, facilities, and animal keeping areas (pens, corals, aviaries, coops, grazing areas, water/feed areas,	3	

Additional Materials for Vehicle Leasing Uses Only	No. of Copies	Provided
Site Plan 11"x 17" (refer to Appendix B) that shows required parking for site and	•	
parking to be occupied by lease vehicles	3	



Additional Materials for Applications with Outdoor Uses, Exterior Changes, and/or New Construction	No. of Copies	Provided
Site Plan (refer to Appendix B)	4	
Landscape Plan (refer to Appendix F), if applicable	2	
Elevation Plans (refer to Appendix C), if applicable	2	
Color and Material Board and Color Elevations/Key (refer to Appendices C and E), if applicable	1	
Floor Plans (refer to Appendix D), if applicable	2	
Tree Report (refer to Appendix G), for over \$1,000 value and no Oak trees, if	1	
applicable Copy of all color exhibits (11"x17" max.) for distribution to Planning Commission and City Council after approval	20	Once project is deemed complete

Note: If the decision on the permit is deferred or appealed to the Planning Commission, additional copies/materials may be required.



Section III

Supplemental Information and Submittal Guidelines

For Conditional Use Permits that involve uses within buildings of 3,001 to 10,000 square feet <u>and</u> where alterations to the interior, exterior, site or landscaping are proposed, some of the following items may apply. Please review the following supplemental advisories, questions and information. For most smaller administrative applications (especially those within existing suites), these items will not apply. If any of the following topics are applicable to your project, please address them in your plans and studies, and/or append additional sheets to your application. Supplemental Appendices are available upon request to help you prepare these portions as outlined. If you have any questions, please contact Planning staff for assistance.

A. Mature/Protected Trees

Pursuant to City of Simi Valley Municipal Code (SVMC) Chapter 9-38 "Tree Preservation, Cutting, and Removal)," if a person wishes to remove or relocate one or more protected tree(s), or develop a site that contains protected trees, a Tree Report is required. If the tree report is more than 2 years old, an update on the condition and value of the trees may be required.

Please refer to Appendix G for Tree Report preparation instructions. The resulting information shall also be included on site, landscape, and grading plans in order to ensure consistency with the arborist's recommendations for the trees' disposition. Refer to the appendices for plan preparation instructions.

Please be advised that a Tree Removal Permit is required prior to any action upon the trees on the site or initiation of grading.

B. Water Supply/Sewage Disposal

Grading, water supply, sanitary sewer/disposal, and fire flow system requirements are addressed during Building and Safety plan check. Applicants are advised to consult with the Building Department, Public Works, and the Ventura County Fire Protection District prior to completing any tenant improvements or occupancy changes to determine if upgrades to existing systems (or new systems) are required.

Certain commercial projects such as restaurants, and certain industrial users/manufacturers (and users with outside uses) may require waste discharge permits as a part of the normal course of operation, implementing certain federal and state laws. These requirements will be addressed during Building Plan Check and questions can be directed to the City's Environmental Compliance staff at (805) 583-6462.

C. Floodplain Management

All projects with exterior changes and/or expansion to the building(s) or site, must document whether or not they are located in a flood zone, as determined by the Federal Emergency Management Agency Flood Insurance Rate Maps. Pursuant to City of Simi Valley Ordinance No. 760, for new construction, finish floor levels must be a minimum of one foot above the base flood elevation. The determination of this applicability is dependant on the location and design of the construction relative to the flood plain and elevation. If the building is in a flood zone and is being altered, and the cost of the improvements exceeds 50% of the value of the building, the project may be required to bring the existing building out of the flood zone. If the project is proposed to be located within a 100-year floodplain or Special Flood Hazard Area, and involves expansion of the building, site changes, or a change in use, special analysis may be required and the project will not qualify as an Administrative Action. If the project is proposed to be located adjacent to a boundary of a Regulatory Floodway or 100-year floodplain, a California-licensed Civil Engineer, Architect, or Land Surveyor will need to submit a scaled site plan, using current topography, verifying the proposed project does not alter or effect the floodway/floodplain boundary. Questions related to floodplain management and permitting should be directed to the Public Works Department at (805) 583-6786 and/or the Building Department at (805) 583-6723.



D. Geotechnical

Projects involving new construction may require the submission of a Soils Report during plan check. The report(s) shall be prepared by the developer's geotechnical consultants (i.e., a State-registered civil engineer and/or certified Engineering Geologist) in accordance with current California Building Code (C.B.C.) requirements.

Groundwater: Applicants seeking projects located in the eastern and western most portions of Simi Valley should be advised that these areas may have a high ground water table. High ground water shall be addressed in the appropriate geotechnical reports for the project. Site de-watering will require water discharge permits. Any questions should be directed to the Public Works Department. Groundwater surcharge and aquifers are separately monitored by the County of Ventura Water Resources Division in consultation with the City Public Works Department and any related questions should be addressed to the County.

E. Drainage/Water Quality

Administrative Actions are for projects within the existing pad area of a project site. As such, there is generally minimal land disturbing activities or changes to drainage. In some cases, however, new or altered construction, or a change of use, may require certain measures to ensure adequate drainage, meet state requirements for stormwater detention and clarity, and to address discharge to the wastewater system (i.e., restaurants and automotive uses). Please review the below information to determine if these items apply to your project.

Drainage Reports: Projects involving new construction may require the submission of a Preliminary Drainage Report. Drainage studies submitted with applications will be used to develop project Conditions of Approval. The difference between preliminary drainage studies (to be submitted while filing the project application) and project design drainage studies relates primarily to the details of design. The complexity of the project and the identification of drainage impacts/problems to be mitigated will govern the level of detail needed at the preliminary drainage study stage. It will generally be to the developer's benefit to identify and propose solutions to the drainage problems early in the project design cycle. Detailed hydraulic design calculations final studies will be required at the improvement plan review/plan check stage.

National Pollution Discharge Elimination Systems: Any applicable construction activity shall be in compliance with the Ventura County NPDES Stormwater Permit and shall comply with requirements for construction projects including Best Management Practices (BMPs). Such projects will require preparation of a National Pollution Discharge Elimination System (NPDES) Construction Activities Plan and permit. Administrative Actions that include construction activity on less than one acre will be conditioned to provide a Storm Water Pollution Prevention Plan, in association with the erosion control plan. Construction activity resulting in a land disturbance of one acre or more, or less than one acre but part of a larger common plan of development or sale, will be conditioned to obtain a water quality permit from the State of California. Construction activity includes clearing, grading, excavation, stockpiling, and reconstruction of existing facilities involving removal and replacement. Construction activity does not include routine maintenance such as maintenance of original line and grade, hydraulic capacity, or original purpose of the facility. A copy of the permit number and plans are required to be submitted to the Environmental Compliance division of the City's Public Works Department prior to commencing operations for industrial connections, restaurants and similar projects/permits and issuance of the Zoning Clearance for this tenant improvement. For more information, contact the Public Works Department at (805) 583-6786.

Municipal Separate Storm Sewer Systems (MS4): Projects with site changes and building additions may be required to incorporate permanent storm water improvements associated with the latest MS4 permit requirements and the associated Technical Guidance Manual (TGM) as approved by the State Regional Water Quality Control Board. The Technical Guidance Manual for Stormwater Quality Measures (2011 TGM) provides guidance to Engineers and Developers for the implementation of stormwater management control measures in new development and redevelopment projects. These guidelines are intended to improve water quality and mitigate potential water quality impacts. The goal is to minimize runoff pollution typically caused by land development by limiting effective impervious area (EIA) to no more than



5% of the project area and retaining stormwater on site through re-use, evaporation, or infiltration. One method is to limit runoff to a maximum level of 5% of the first ¾-inch storm. This goal can be achieved by employing a sensible combination of Site Design Principles and Techniques, Source Control Measures, Retention Best Management Practices (BMPs), Biofiltration BMPs, and Treatment Control Measures to the required level.

The following are those projects subject to the requirements per the 2011 TGM:

- Projects where land-disturbing activity that results in the creation or addition or replacement of more 5,000 square feet or more of impervious surface area on an already developed site.
- Projects where redevelopment results in the alteration to more than fifty percent of impervious surfaces of a previously existing development, and the existing development was not subject to the post development stormwater quality control requirements of Board Order 00-108, shall mitigate the entire redevelopment project area.
- Projects where redevelopment results in the alteration to more than fifty percent of impervious surfaces of a previously existing development, and the existing development was subject to the post development stormwater quality control requirements of Board Order 00-108, must mitigate only the altered portion of the redevelopment project area and not the entire project area.
- Projects where redevelopment results in an alteration of less than fifty percent of impervious surfaces of a previously existing development must mitigate only the altered portion of the redevelopment project area and not the entire project area.

Redevelopment does not include routine maintenance activities that are conducted to maintain the original line and grade, hydraulic capacity, or original purpose of the facility or emergency redevelopment activity required to protect public health and safety. Impervious surface replacement, such as the reconstruction of parking lots and roadways, that does not disturb additional area and maintains the original grade and alignment, is considered a routine maintenance activity.

Please contact the Public Works Department to review the applicability of these requirements to your project.

Stormwater Quality: Certain projects that include changes to the site, use, building additions, etc. will be conditioned to comply with any required Stormwater Quality Urban Impact Mitigation Plan (SQUIMP) at plan check. These project include:

- Any automotive repair/maintenance shop or retail gasoline outlet.
- Any free-standing restaurant.
- A new parking lot with 5,000 square feet, or more of impervious surface area.
- A new parking lot with 25 or more parking spaces and potentially exposed to runoff.
- Redevelopment that creates or adds 5,000 square feet or more of impervious surface area.

If the creation or addition of impervious surface area is 50% or more of the existing impervious surface area, then storm water runoff from the entire site (existing and additional) must be considered for the purpose of storm water mitigation. If less than 50% of the existing impervious area, then only the addition needs mitigation.

Worksheet/information and/or Stormwater Quality Permits will be required to be submitted with the Final Drainage Study and/or at the time of post project approval Public Work Improvement Plans plan check.

In addition, any construction activities that disturb more than 1 acre of land/dirt will require a General Construction Permit for stormwater from the State Regional Water Quality Control Board. Please contact Environmental Compliance staff at (805) 583-6462 for additional information.



F. Traffic

A study may be required in cases where there is a new/expansion of use, or change of use, that may generate changes in vehicle patterns and traffic counts in the vicinity of the project. The project may be conditioned for the applicant to provide City-required traffic impact fees as outlined in the Schedule of Service Charges.

G. Hazardous Materials/Waste and Fire Protection

Certain sites or business practices include the use of Hazardous Waste Substances including the use, storage, transport or handling of hazardous waste. Please contact the City, Fire District, Air Pollution Control District and applicable outside agencies if such materials are included in your business practices to determine their permitting and tenant improvement requirements.

H. Utilities, Undergrounding, and Screening

Projects must identify all utility services anticipated for the project, show them on the plans, and provide screening. Pursuant to SVMC §9-30.070, all new utility equipment and appurtenances to be installed in conjunction with any application will be conditioned to be completely screened from public view.

I. Signage

Project signage is permitted in accordance with SVMC Chapter 9-37, any applicable Specific Plan. The application/plans shall include the location of any new sign area(s) or monumentation.

J. Design Guidelines

The City has adopted design guidelines for Residential, Commercial/Industrial, and Landscaping. These guidelines may be found on the City's website. In order to find for a project's approval, the project will be reviewed for consistency with the guidelines. Please contact the Planning Division for any questions regarding the project's relationship to the guidelines.

K. Green Building Ordinance

The City of Simi Valley has adopted Green Building Standards (Ordinance No. 1152) that have certain requirements relating to energy efficiency, water efficiency, construction and demolition waste reduction, that will be required to be met prior to issuance of building permits. Please contact the Building and Safety Division at (805) 583-6723 for additional information or consult the City's website.

Construction and Demolition Debris Waste Management and Recycling Program: In order to comply with state law and the City's Green Building Ordinance, certain projects will require the filing of a Construction & Demolition Debris Waste Management & Recycling Program. Projects subject to the Ordinance include: Construction or demolition projects with a valuation of \$100,000 or more; residential additions of 1,000 square feet or more; Tenant Improvements of 3,000 square feet or more; New Structures of 1,000 square feet or more; and, demolition of any structure requiring a permit. Applicants must submit and receive approval of a Waste Management Plan prior to issuance of a Building Permit. If you have any questions on the applicability of these requirements, to obtain the application forms, or to make a submittital, please contact the Building and Safety Division at (805) 583-6723.

L. Security Ordinance

The City of Simi Valley encourages development of projects consistent with the theories of Crime Prevention Through Environmental Design (CPTED). Projects should include active and passive measures for surveillance, lighting, crime prevention, and appropriate landscaping, and must show evidence of compliance with the Security Ordinance (SVMC, Title 8) in project design and prior to issuance of Building



Permits. Security features, including lighting locations, fencing, etc. shall be noted on submitted plans. A final photometrics/lighting plan may be required at the time of Building Department plan check pursuant to the criteria in SVMC §9-30.040 and the Security Ordinance in SVMC §8-21.

M. Ventura County Agencies

Ventura County Environmental Health Department: Any business involving food preparation, food handling, wells, spas, common pools, massage, or group camps, will involve permitting from the Ventura County Health Department. These requirements are generally handled during the building permit process; however, the County should be consulted prior to submittal, and as early as possible in the planning process. Please call (805) 654-2813 for further information, or visit their information online at http://www.ventura.org/rma/envhealth/.

Ventura County Fire Protection District (VCFPD): The Ventura County Fire Protection District provides fire protection, plan check, and inspection services to the City of Simi Valley. All applicants are encouraged to see their input into their site and tenant improvements, in particular where changes in occupancy or assembly occupancies are proposed. The Fire District enforces state and local fire codes, issues permits, and provides facility inspections. The District participates in the review process and requires that a "Requirements for Construction" (126) Form be submitted prior to initiation of construction. The District provides services at the City of Simi Valley Building Department on Tuesday and Thursday mornings from 9 am to noon, or at their offices at 165 Durley Avenue, Camarillo, CA 93010, (805) 389-9710.

Ventura County Air Pollution Control District (APCD): Any uses that involve the handling/use of chemicals, paints, sanding, plating, etc., may require special permits for ventilation and equipment from APCD. Please contact them at (805) 645-1400 or at the web site www.vcapcd.org to discuss these requirements prior to submittal/approval of your Conditional Use Permit application.



Certified Public Notice Mailing List and Affidavit

Certain Administrative Actions require a public hearing. Public notices require mailing labels, radius maps, and an affidavit related to their preparation that must be submitted by the applicant prior to deeming a project complete. Obtain and use Ventura County Assessor's parcel maps from the County of Ventura or the City of Simi Valley Planning Division for the subject property and those within 300 feet of the subject parcel(s). **Labels may not be more than three months old.**

Public Notice Mailing Lists and Maps must comply with the following requirements/include the following information:

Public Notice Mailing Lists Requirement and/or Informational Item

1. Property Radius Notification Map

- 1a. Using the Assessor's Maps, highlight the area of the subject application(s) by outlining the property lines in color or obvious shading. (Please note scale differences exist in some map sheets).
- 1b. Draw a line that is a minimum distance of 300 feet from each edge of the subject property. Highlight this radius line. (This line may fall on adjacent maps and may be submitted on separate sheets as necessary). Large Family Day Care Uses require only 100 feet.

2. Mailing Labels

- 2a. Provide three sets of self-stick labels and an Electronic Excel Spreadsheet
- 2b. Use the following label formats on Avery style self-stick labels:

For Owner:

APN: 123-0-456-789 John and Jane Doe 1234 Main Street Simi Valley, CA 93065 For Occupant/Business/Non-Resident Owner:

APN: 123-0-456-789

Occupant

1234 South Street, Apt. A Simi Valley, CA 93065

- 2c. Provide two copies of the labels on letter paper.
- 2d. Owners' Labels: Refer to the latest available Ventura County Tax Assessment Roll and provide a label for all property owners within or touching the 300-foot radius identified on the radius map. If an owner owns more than once parcel, provide the multiple APNs on their label, and do not duplicate labels. Large Family Day Care Uses require only 100 feet.
- 2e. Occupant Labels: If the mailing address of the property owner does not match the site address, provide an occupant label. If the parcel contains and apartment complex or individual tenants, provide one for each tenant.
- 2f. Homeowners' Association (HOA) Labels: Provide mailing labels to all HOAs within the map radius. Contact the Planning Division counter for a list of these associations.

3. Affidavit

3a. Applicants are responsible for ensuring the accuracy of the Property Map and Mailing Labels for the property owners and occupants. Provide one copy of a signed affidavit to this effect (refer to next page).

If the project is deferred to the Planning Commission, staff will inform you of the applicant's obligation to provide public hearing notice signs.



Certified Public Notice Mailing List

AFFIDAVIT

Permit No						
Assessors Parcel Nos						
State of						
County of	_					
Ι,			, hereby	certify	that 1	the
attached list contains the names and ac	ddresses of all persor	ns to whom all property	y is assessed	as they	appear	on
the latest available assessment roll of	Ventura County and	d of all property occup	ants within	the area	describ	ed
on the attached application and for a	distance of three hur	ndred (300') feet from	the exterior	boundar	ries of 1	the
property described on the attached app	lication.					
I certify under PENALTY OF	PERJURY under tl	ne laws of the State of	California	that the	foregoi	ng
paragraph is true and correct.						
	(Printed Name)					
	(Signed)					
	()					
	(Date)					
	(Addraga)					
	(Address)					



Architectural Site Plans

The following checklist outlines the details on the minimum requirements for the preparation of plans, materials, contents, format, etc. Certain plans require preparation by a licensed professional as noted. Please contact the Planning Division if you have any questions about the applicability of any of the information or requirements.

Site plans must comply with the following requirements/include the following information:

	Architectural Site Plan Requirement	Provided
1. Di	mension/Orientation	
1a.	The site plan shall be at least 11 x 17 inches in size.	
1b.	For projects that are proposed on large lots include an enlargement/detailed drawing of the areas of proposed development.	
1c.	The scale may be 1-inch equals 20 feet to 1-inch equals 30 feet.	
1d.	The legend must include the scale and description of all symbols used on the plan.	
2. Ti	Title Block	
2a.	The Title Block shall include:	
	(1) The address of the project.	
	(2) The applicable City of Simi Valley Project Numbers once available (e.g. CUP, TP, etc.)	
	(3) Name, address and phone numbers of:	
	(i) Applicant.	
	(ii) Person Preparing the Plan and their license/seal/expiration signature and date signed.	
	(iii) Property Owner.	
	(4) Date of latest revision. Any future revisions shall be clearly annotated.	
3. P	roject Information List	
3a.	Current Zoning of the subject parcel and all abutting parcels. 1	
3b.	Gross square footage/acreage of lot area (refer to SVMC Chapter 9-80).	
3c.	Identify existing and proposed percent of building coverage.	
3d.	Identify existing and proposed square footage of removed, altered, or added landscaping.	
3e. l	Delineate any FEMA Flood Zones as shown on Flood Insurance Rate Maps (FIRMs) and Special Flood Hazard Areas affecting the site or immediately adjacent sites including the base flood elevation(s), building finished floor elevations, drainage structure information, etc.	
4. L	ayout	
4a. (Completely dimensioned layout of existing and proposed internal driveways, aisles, parking stalls (including accessible spaces), gates, loading spaces, pedestrian ways, ingress and egress to buildings, and path of travel both on-site and from the public right-of-way.	
4b.	Identify existing and proposed landscaping areas and mature trees.	
4c.	Identify existing and proposed fences, walls, gates, and refuse/recycling enclosures.	
4d.	Identify existing and proposed monument signs.	
4e.	Identify existing and proposed outdoor storage.	



	Architectural Site Plan Requirement	Provided
4f. Location and size of all existing and proposed exterior lighting standards and devices shall be shown if alterations to the site, building exterior, or expansion of the building is involved. Except for decorative lighting, fixtures are required to have flat lenses that are not exposed on the horizontal plane. [NOTE: A photometrics plan will be required at the time of Building Department plan check pursuant to the criteria in SVMC §9-30.040 and the Security Ordinance in SVMC §8- 21.]		
5. Property Bour	ndaries, Easements, and Streets	
5a. Existing an	d proposed lot lines, dimensions, and acreages.	
boundaries	nd proposed easements of record both on-site and within 100 feet of the project (water, sewer, access, parking, fire, fuel modification, reciprocal, etc.)	
between bu	existing and proposed buildings and setbacks (from property lines to structures) and ildings and structures (measured in feet).	
	dimensioned layout of roadway including of existing right-of-ways both on-site and feet of the project boundary including:	
(1) Street	frontage features (e.g., curbs, gutters, and sidewalks) ² .	
(2) Locati	on of all existing and proposed free-standing/monument signs.	
(3) Street	lights.	
(4) Utility	poles.	
(5) Bicycl	e lanes.	
(6) Island	s and medians.	
	ng and proposed curb cuts (e.g., driveway and private roadway entrances from the road to bject site).	
6. Common Area	s, Common/Open Space Parcels, Parks and Trails	
6a. Show all pa	arcels to be held in common.	
	parcels or areas proposed for dedication to others (Parks District, School District, on, utilities, HOA, etc.) ³	
6c. Show all ex	xisting and proposed trails, bicycle, pedestrian, and equestrian paths. 4	
6d. Show all co	ommon area amenities, buildings, parks, play areas, utilities, pools, etc.	

¹ The land use and zoning designations may be obtained from the Planning Division Public Information Counter

² For all projects in which the project site is not located adjacent to a public road right-of-way, submit documentation (e.g., a recorded access easement/title report) that demonstrates legal access to the property from the nearest public road.

³ Any dedication of parcels to outside agencies (i.e., RSRPD, Schools, MRCA, Watershed Protection District) should be coordinated with the requirements of the respective agencies prior to submittal of the application.

⁴ Trails located in, or proposed within Rancho Simi Recreation and Parks District property shall be designed in accordance with City and District Standards.



Building Elevations

The following checklist outlines the submittal requirements for building elevations for entitlement review. If your project does not involve the construction of a new building or changes to the exterior of an existing building, you do not need to submit building elevations; however, building and site photographs will be required to document existing conditions. The City of Simi Valley has adopted Citywide and Residential Design Guidelines that are available at the Planning Division and that should be consulted in the preparation of your plans, as they will be used for findings of consistency.

Elevation plans must comply with the following requirements/include the following information:

	Elevation Plan Requirements	Provided
1. D	imension/Orientation	
1a.	The elevation plan shall be at least 11x17 inches in size.	
1b.	The scale shall be in the range of 1/4-inch equals 1 foot to 1/8-inch equals 1 foot.	
1c.	Legend including scale, north arrow, and description of all symbols used on the plan.	
2. Ti	itle Block	
2a.	The Title Block shall include:	
	(1) The address of the project.	
	(2) The applicable City of Simi Valley Project Numbers once available (e.g. CUP, TP, etc.)	
	(3) Name, address and phone numbers of:	
	(i) Applicant.	
	(ii) Person Preparing the Plan and their license/seal/expiration signature and date signed.	
	(iii) Property Owner.	
	(4) Date of latest revision. Any future revisions shall be clearly annotated.	
3. E	levation Details	
3a.	Buildings and structures must be labeled to indicate what building or structure is shown on the elevations.	
3b.	Four elevations of the exterior of buildings and structures labeled in terms of the direction the elevation faces (i.e., north, south, east, or west).	
3c.	Building dimensions—both height and width—for each elevation.	
3d.	Photographs of the existing building exterior and site mounted or printed on paper no larger than 11 x 17.	
3e.	Types of all exterior building materials shall be described on the plan including: roofing material, wall materials (finished surface), fascia, wainscoting, columns, doors, and glass.	
3f.	On-building sign location(s) showing their relationship to the building's architecture.	
3g.	Identify all roof-mounted equipment, including the height, and show method of screening and parapet heights.	
3h.	On-building lighting and provide fixture details.	
3i.	All proposed exterior mechanical or utility equipment (including roof top). All proposed equipment shall be screened.	
3j.	Architectural details of all walls, fences, and gateposts, including the height dimensions, materials, and colors.	





4. R	oof Plan	
4a.	Provide a roof plan for each building (including slope, materials, equipment and venting)	



Floor Plans

The following checklist outlines the submittal requirements for floor plans for entitlement review. If your project does not involve the construction of a new building or changes to the floor plan, use or size of an existing building, you do not need to submit floor plans.

Floor plans must comply with the following requirements/include the following information:

	Floor Plan Requirements	Provided
1. [Dimension/Orientation	
1a.	The floor plan shall be at least 11 x 17 inches.	
1b.	For projects that have multiple floors and/or have multiple buildings, include a sheet for each floor of each building.	
1c.	The scale must be drawn to an architectural scale within the range of $1/8$ inch = 1 foot to $1/4$ inch = 1 foot.	
1d.	Legend including scale and description of all symbols used on the plan.	
2. T	Title Block	
2a.	The Title Block shall include:	
	(1) The address of the project.	
	(2) The applicable City of Simi Valley Project Numbers once available (e.g. CUP, TP, etc.)	
	(3) Name, address and phone numbers of:	
	(i) Applicant.	
	(iii) Property Owner.	
	(4) Date of latest revision. Any future revisions shall be clearly annotated.	
3. P	Plan Details	
3a.	Gross square footage of building(s) on each building or in total in tabular form	
3b.	Identify floors, levels, attics, lofts, and basements of the buildings indicating the building's occupancy type, proposed use, and square footage.	
3c.	Identify provisions for disabled access.	
3d.	Identify cooking facilities/kitchens, restrooms, and other special uses. [Environmental Compliance and the Ventura County Environmental Health Department may have additional requirements related to kitchens, health spas, etc., and should be contact for those requirements.]	



Colors and Materials Sample Boards

A Color and Materials Sample Board is intended to provide the decision makers and staff a key guide to implementing project details of the architectural theme and style of the project and demonstrate aspects of a new development project or modification to existing developments. The City of Simi Valley Citywide Design Guidelines should be consulted in preparation of any architectural plans and designs. Boards are required prior to deeming a project complete. Accurate photographic copies of the boards are also required. Copies should be carefully reviewed and considered, as scanning and color copying methods have varying results and quality.

Colors and Materials Boards must comply with the following requirements/include the following information:


	Colors and Materials Board Requirements	Provided		
1. G	eneral Information			
1a.	All boards shall be no larger than 8.5" x 14" (legal size).			
1b.	The legend must include the scale and description of all symbols and abbreviations used on the plan.			
1c.	1c. The Title Block shall be located in the lower-right hand corner and include the address(es) and name of the project or center,the applicant/preparers information and the applicable City of Simi Valley Project Numbers once available (e.g. CUP, TP, etc.)			
2. M	laterial Samples and Colors			
2a	Actual samples of all materials proposed for the building (no thicker than ½ inch in size). A brochure or photograph may be used if an actual materials sample is not available and if it is an accurate representation of the material to be used.			
2b.	Exterior material samples must show: i. Finishes with colors for walls, fascia, trim, detail materials (tile, iron,) etc. ii. Style and color of roofing material. iii. Glass used for windows and doors. iv. Color of window mullions. v. Related exterior materials. vi. Accessory equipment including signs, light fixtures and standards, outdoor equipment/furniture, fencing, walls, etc.			
2c. (Color paint chips for all exterior surfaces and materials. Colors must be provided for walls, roofing, widow trim, doors, masonry, and other exterior colors. A brochure or photograph may be used if it is an accurate representation of the color to be used. The colors must be the same as the colors used on the colored elevation plans.			



Conceptual Landscape Plans

The following checklist outlines the submittal requirements for Conceptual Landscape Plans. Conceptual Landscape Plans must be submitted with the project application for all new and expanding discretionary uses where landscaping is required or where existing required landscaping will be modified. It is the intent of the conceptual plan to provide a vision/template for the ultimate landscaping. The conceptual plan should identify a planting theme, a planting palette (e.g., Mediterranean), and a photographic representation of the plantings. The planting area should be graphically depicted (or called out as landscaped area "LA"). Item by item plant location and sizing is not required at the conceptual level, excepting some trees may need to be shown. These plans must include disposition of on-site protected trees (refer to Tree Report, Section IV. Appendix H), and any landscape related stormwater specialized areas. In some cases, the landscape plan will need to document compliance with original project approvals and conditions. This includes all uses except for single-family dwellings without slopes. The City of Simi Valley has adopted Landscape Design Guidelines that should be consulted in preparation of the conceptual and final plans, and that will be used for findings of consistency. Erosion control for any graded slopes over three feet is required, and the landscape plans(s) should differentiate short-term vs. ultimate landscape treatments. Attention should also be paid by plan preparers and the applicant to ensure the landscape plan layout matches the site, civil, and architectural plans. Projects will be conditioned to provide a Final Landscape Plan, prior to issuance of a building permit, as outlined below.

Plans for properties having more than 500 square feet of new landscaping or 2,500 square feet of improved landscaping should be prepared by a California registered landscape architect. When preparing conceptual plans, please note that the plan and plant palette should be drafted with incorporation of all enacted requirements of the State Water Efficient Landscape Ordinance as implemented by the City. In Simi Valley, incorporation of a mix of 50% low water use, 25% medium water use and 25% high water use in combination with irrigation efficiencies may achieve a mix conducive to these requirements, however, it is recommended that high water use plants be placed in very limited areas. Irrigation design is not required on conceptual plans; however, it is recommended that the Conceptual Plan reflect the plant palette that will meet all City and State requirements for water conservation.





The Conceptual Landscape Plan must comply with the following requirements/include the following information:

	Conceptual Landscape Plan Requirements	Provided	
1. R	endering/Colored Plan		
1a.	1a. Rendered/Colored landscape plan will be required. The landscape plan shall be 11"x17" in size, folded to 8.5"x11" (or as approved by the case planner) and must be provided in .pdf format on disk. Although the rendered plan will be requested prior to being deemed complete, it is recommended that this plan be submitted after the initial review. If photosimulations are provided, refer to Exhibit R for further information.		
2. Di	mension/Orientation		
2a.	Legend including scale, north arrow, and description of all symbols used on the plan.		
3. Ti	tle Block		
3a.	The Title Block shall include: The address of the project; Name, address and phone numbers of the Applicant, Person Preparing the Plan (and their license/seal/expiration signature and date signed), and Property Owner; Date of latest revision (any future revisions shall be clearly annotated); Assessor's Parcel Number(s); and the applicable City of Simi Valley Project Numbers once available (e.g. CUP, TP, etc.).		
4. Conceptual Details			
4a.	Conceptual details shall be provided that include:		
	(1) The location and size of all existing and proposed landscape areas.		
	(2) The overall landscape plant palette/list including photographic representation of typical plants and their common names.		
	(3) Percentage of shrubs and groundcover as a percentage of the total landscaped area. (City design guidelines recommend no more than 25% grass or high water use plants.)		
	(3) Approximate location of all protected trees (existing) and any mitigation trees (replacement or as required by the project Tree Report).		
5. Plan Notes			
5a.	Conceptual plans must include the following plan notes:		
	(1) "This plan will comply with the requirements of the City of Simi Valley Municipal Code and State Water Efficient Landscape Ordinances."		
	(2) If a Tree Report was prepared for this project include: "This plan will comply with the requirements of the Tree Report prepared for this project, and Tree Mitigation outlined therein."		

As part of the conditions of project approval, the applicant will be required to submit a Final Landscape Plan Checklist Packet.

Final Landscape Plans, documentation worksheets, and reports must be submitted, with accompanying fee, and approved prior to grading permits and/or issuance of building permits as appropriate.

The Final Landscape Plan must comply with the following requirements/include the following information:



As part of the conditions of project approval, the applicant will be required to submit a Final Landscape Plan Checklist Packet.

Final Landscape Plans, documentation worksheets, and reports must be submitted, with accompanying fee, and approved prior to grading permits and/or issuance of building permits as appropriate.

The Final Landscape Plan must comply with the following requirements/include the following information:

	Final Landscape Plan Requirements	Provided
1. Dir	mension/Orientation	
1a.	The landscape plan shall be at least 24 x 36 inches in size, folded to no larger than 8.5 x 14 inches.	
1b.	The scale should be 1 inch equals 20 feet for commercial/industrial projects and 1/8" recommended for single-family residential projects.	
1c.	Legend including scale, north arrow, and description of all symbols used on the plan.	
2. Ti	itle Block	
2a.	The Title Block shall include:	
	(1) The address of the project.	
(2) T	The applicable City of Simi Valley Project Numbers once available (e.g. CUP, TP, etc.)	
	(3) Name, address and phone numbers of:	
	(i) Applicant.	
	(ii) Person Preparing the Plan and their license/seal/expiration signature and date signed.	
	(iii) Property Owner.	
	(4) Date of latest revision. Any future revisions shall be clearly annotated.	
	(5) Assessor's Parcel Number(s).	
3. Pr	roject Information List	
3a.	Total square footage of project site, parking area, total landscaped area, parking area perimeter landscaping, parking area interior landscaping.	
3b.	Percentage of the project site that will be landscaped and the parking area that will be landscaped. Indicate both the percentage that is required and the percentage that will be provided.	
3c.	Number and location of motor vehicle parking spaces and loading zones related to parking lots with planting areas.	
3d.	General planting notes and details including any Public Works street tree or right-of-way installation instructions.	
4. Pl	anting Legends	
4a.	The legend must include the scale and description of all symbols used on the plan.	
4b.	General list of plant names (both botanical and common names) categorized and quantified by use.	
4c.	Plant sizes and recommended spacing at time of planting.	
4d.	Water Use Classification of Landscape Species (WUCOLS) rating for each proposed plant.	
4e.	Estimated number of trees and plans required for the designated planting areas.	





5. Pl	an Features	
5a.	Identify and dimension all landscaped planter, , sidewalks, parkways, curbs, and features.	
5b.	Identify adjacent property features within 20 feet of the property line including, but not limited to: trees (type, diameter, and drip line), driveways, planting areas, lights, walls and other structures.	
5c.	Identify all on-site light standards located in or adjacent to planter areas and trees.	
5d.	Identify all special paved surfaces (hardscape areas), decorative paving, decorative hardscape, seating areas, raised planter walls, etc. and identify if included in the landscape percentages.	
5e.	Identify and dimension all General Plan required enriched parkways.	
5f.	Identify spot elevations for top/bottom of landings, slopes, and walls and topography of slopes.	
5g.	Identify important natural features such as drainages and rock outcroppings.	
5h.	Identify fuel modification zones.	
5i.	Identify landscape design elements (e.g., fountains, sculptures, mounds, screening berms).	
5j.	Identify sight distance triangles (and Traffic Safety Sight Areas) at street intersections and driveways, and planting restrictions in these areas.	
5k.	Identify adjacent street names.	
6. G	rading	
6a.	Identify all grading, slopes, and disturbed areas.	
6b.	Identify restoration of disturbed land to its natural state.	
6c.	Identify Interim landscaping related to erosion control.	
7. T	rees (for preparation of a Tree Report refer to Section IV. H)	
7a.	Identify all existing and proposed trees as outlined in the requirements for preparation of a Tree Report prepared for the project (graphically and in a table). Show tree drip lines.	
7b.	Indicate those trees (graphically and in a table) that have protected tree status by tree identification number as established in the Tree Report.	
7c.	Provide a table and plan labels identifying the tree mitigation strategy, required trees, values, sizes, and placement of mitigation trees as outlined in the Tree Report prepared for the project.	
8. D	rainage	
8a.	Identify site retention and treatment of stormwater, area drains, bioswales, infiltration, and structures and any limitations related to affected plantings.	
9. U	tilities, Walls, Trash, and Screening	
9a.	Identify and screen all utilities by showing on plans, as outlined in the requirements for preparation of a Utility Screening Program prepared for the project. Show utility and access easements and overhead lines. [Note: screening of utilities must be at 80% at time of installation.]	
9b.	Identify all trash enclosures and show landscaping vines and shrubs associated with screening of the walls.	
9c.	Identify all project walls and structures and their landscape screening. Shrubs and vines are required on walls to deter vandalism.	
9d.	If fencing is not otherwise shown, identify all location, color, materials, heights and installation details.	





10. Irrigation			
10a. Show all pipes, valves, points and location.	of connection, irrigation heads, sleeving, meters and controllers by size		
<u> </u>	easonal schedules including total water application rates for each valve otranspiration data or soil moisture sensor data are required).		
11. Required Landscape Documentation Packages			
11a. Include a Water Efficient L plans. See Section IV. B of	andscape Worksheet with each submittal of landscape and irrigation State Model Ordinance at Department of Water Resources.		
	information for Final Landscape Plan" form (see below) with first set information changes prior to plan approval.		
11c. Provide a completed landscarequired in the MWELO Gu	spe documentation package and certificate of completion to the City as idebook.		



Model Water Efficient Landscape Ordinance (MWELO) Project Information for Final Landscape Plan

Applicant Information			
Name:			
Address:			
Email:		Telephor	ne:
Project Information			
Site Address:			
Project Type (select one):[Residential	Non-Residential	Landscape-only
☐ This plan includes <u>r</u>	<u>new</u> landscaping	area over 500 square fee	t
☐ This plan includes <u>r</u>	<u>ehabilitated</u> land	dscaping area over 2,500 s	square feet
☐ This plan includes <u>r</u>	new and rehabilit	tated landscaping areas	
Total landscape area (sq. f	[;] eet):		
New landscape area (sq. fo	eet):		
Rehabilitated landscape ar	ea (sq. feet):		
Special landscape area (so	դ. feet):		
Water Source:	Potable	Recycled	
Water Purveyor:			
Proposed Compliance M	ethod		
Performance (n	ew and/or rehab	ilitated landscape area ov	er 2,500 sq. feet)
Prescriptive (ne	w landscape are	ea less than 2,500 sq. feet)
Signature I certify the above informat	ion is correct and	d agree to comply with the	MWELO requirements.
Signature of property owner	er or authorized r	representative	Date
	STAFF U	SE ONLY BELOW	
CASE#		CASE PLANNER	



Tree Report

It is the City's desire to preserve protected trees. Initial project layout, design, and grading shall recognize the desirability of preserving protected trees with appropriate modifications and adjustments to accommodate preservation and maintenance by locating the best candidates in areas where preservation is feasible. SVMC §9-38 should be consulted in the preparation of any Tree Report and plan, and includes criteria for consideration in issuance of a Tree Removal Permit.

Mature Tree is a living tree with a cross-sectioned area of all major stems, as measured four and one-half (4½) feet above the root crown, of 72 or more square inches (9½ inches in diameter if a single trunk).

Mature Native Oak Tree is a living valley, coast live, or scrub oak (Quercus lobata, agrifolia or dumosa) or hybrids of these species with a cross-sectioned area of all major stems, as measured $4\frac{1}{2}$ feet above the root crown, of 20 or more square inches (5 inches in diameter if a single trunk).

The arborists report must include the following:

- A. Tree map, prepared on the site plan, showing:
 - (1) The precise vertical and horizontal location (within 1 foot) of each mature tree within the project boundary as shown on the site plan.
 - (2) The generalized locations of all mature trees within 20 feet beyond the project boundary as shown on the site plan.
 - (3) A number for each tree. The corresponding number is to be attached on each tree. Verifications of locations, species, and numbers will be made by the reviewing planner.
- B. The tree type by common name, genus and species.
- C. The diameter of each tree trunk or main stems at a point 4½ feet above the root crown as measured along the trunk or stem. Use the current edition of the Guide for Plant Appraisal prepared by the Council of Tree Landscape Appraisers for instructions on measuring trees.
- D. The average canopy spread of each tree.
- E. A scoring of the health of each tree as follows: "A" outstanding, "B" good, "C" average, "D" far below average, "E" alive but hazardous, "F" dead.
- F. A letter grade ("A" "D") for the aesthetic quality of each tree. (Omit letter grade for trees with health status of "F".)
- G. A disclosure of any significant disease, insect infestations, trunk decay, or fire, mechanical or wind damage.
- H. Any recommended treatment to improve the health of the tree.
- I. The value of each tree based upon the formula in the most recent edition of the Guide for Plant Appraisal prepared by the Council of Tree Landscape Appraisers.
- J. For all trees which will be removed, an evaluation of the feasibility of transplantation of the tree and an estimate of the cost.

Please be advised that a tree removal permit will be required to be issued prior to any action upon the trees on the site or initiation of grading.



Environmental Services Department Planning Division

Electronic File Submittal Requirements				
PDF filenames must meet the file naming convention as shown in the table below:				
Plan, Map or Technical Document	Document Type	Filename		
Plans or Maps	Plans	Plans.pdf		
Preliminary Geotechnical/Soils Report	Technical Document	GeoSoils_Report.pdf		
Tree Report	Technical Document	Tree_Report.pdf		
PDF filenames cannot include special cha	racters (%,+, \$, #) or the	date		
Plan sets must consist of a single PDF file				
PDF files must not to exceed 195MB in siz	:e			
PDF files must not be password protected	or locked			
Remove all comments from the PDF plans	3			
Ensure the PDF plans do not have multiple	e layers by flattening it pr	ior to submittal		
Plan sets must have bookmarks that list sheet number and sheet title. Please note that all bookmarks must be on the same level as the topmost bookmark				
Plan sets must not have page sizes larger	than 36x48 inches			
Plan sets must have uniform content orien	tation and page alignmer	nt		
Plan sets must be scaled and include a sc each object	ale bar on each sheet or	include measurements for		
Plan sets must have a 2x2 inch space loca stamps	ated in the title block of ea	ach sheet for approval		
Resubmittals should be submitted using the same (exact) filename as the original submittal filename				
Please contact the Planning Division at (8	05) 583-6769 or <u>envirose</u>	ervices@simivalley.org for r	more information	

Updated: 03/04/2021